



# SENSE 55

## INVENTORY



# TABLE OF CONTENTS

<u>General specifications</u>	1
<u>Deck equipment</u>	4
<u>Interior fittings</u>	11
<u>Engine</u>	17
<u>Electricity</u>	20
<u>Plumbing</u>	21
<u>Gas</u>	22
<u>Guided tour of Sense 55</u>	25





A photograph of a sailboat with a large white sail, sailing on a blue ocean under a clear sky. A person is visible on the deck. The image is partially obscured by a white curved banner at the bottom.

# **GENERAL SPECIFICATIONS**

**3-CABIN VERSION ALPI MAT OAK**

- L.O.A : 17,20 m / 56'5"
- Hull length : 16,80 m / 55'1"
- L.W.L : 15,96 m / 52'3"
- Beam : 4,97 m / 16'4"
- Shallow draught : 1,85 m / 6'1"
- Shallow ballast weight : 5 500 kg / 12,125 lbs
- Air draught : 23,91 m / 78'5"
- Light displacement (EC) : 18 560 kg / 40,918 lbs
- Fuel capacity : 2 x 415 L
- Fresh water capacity : 640 L
- Engine power : Yanmar Diesel 75 hp

## **ARCHITECTS / DESIGNERS :**

- Naval Architect : Berret Racoupeau Yacht Design
- Interior design : Nauta Design

## **CE CERTIFICATE :**

- Category A – 10 people
- Category B – 11 people
- Category C – 16 people




## STANDARD SAIL LAYOUT AND AREA :

- Mainsail (classic) : 74 m<sup>2</sup> / 796 sq ft
- Genoa (105 %) : 78,5 m<sup>2</sup> / 845 sq ft
- Asymmetrical spinnaker : 208,3 m<sup>2</sup> / 2,242 sq ft
- I : 21,25 m / 69'9"
- J : 7,31 m / 24'
- P : 20,2 m / 66'3"
- E : 6,35 m / 20'10"

## EXCLUSIVE TRIM LEVEL :

- Cockpit sole natural solid wood 📷
- Motorised glazed folding companionway door in cockpit floor + 2 Remote controls
- Pump for deck washing
- Textile storage with 2 steering consoles
- Bose Acoustimass 3 speakers in saloon 📷
- Galley : 📷
  - "Luxe" 3 burners hob, stainless steel oven and grill 📷
  - 12 V Freezer compartment in 100 L Top-opening icebox (Freezer)
- 3 Electric toilet + Reserve 📷



## WORK COMPLETED :

Grey hull paint - 2023

Antifouling - 2023



# DECK EQUIPMENT



# RIGGING

- Anodized furling mast with genoa and Mylar Taffeta mainsail
- Anodised aluminium boom
- Discontinuous stainless steel standing rigging
- Backstay : Briddle
- Rigid boom vang with tackle
- Genoa furling system with drum on the deck
- 2 Blocks "STANDUP" on mainsheet arch
- 2 genoa tracks with piston adjusted traveller cars – 2 Genoa sheet return blocks
- Rigging run back to cockpit (except boom topping lift)
- Complete running rigging: Main halyard, genoa halyard with clutch on mast and cleat, Boom topping lift with cleat on mast, Mainsheet, 2 Genoa sheets 2 rapid reefing lines, 1 manual reef
- 12 Jammers, and other control lines
- 2 rope boxes
- Flag halyards



# WINCHES

- 2 Electric genoa sheeting winches H60.2STCEH 📷
- 1 Self tailing coachroof winches (H46.2 STC to starboard) 📷
- 1 Winche électrique de manoeuvre (H50.2STECH to port) 📷
- 2 Winch handles SpeedGrip
- 2 Winch handle boxes

# SAILS

- Dacron furling genoa 📷
- Full batten dacron mainsail with Beneteau logo (sewing required)
- Lazy Jack and Lazy Bag in Natural colour
- Self-tacking staysail + releasable forestay chainplate 📷
- Code 0 on 2016 furlers
- Gennaker 2016
- Sail locker with stainless steel ladder





## MOORING LINES – MOORING – SECURITY

- Self-draining chain locker
- Stainless steel bow fitting 2 rollers – Stainless steel bobstay
- 12 V – 1500 W Vertical electrical windlass – Remote control 📷
- 8 Aluminium mooring cleats – Stainless steel deck line protection
- Deep-sea outfitting and ISO 24h 6-person container raft 📷

## ELECTRONICS – NAVIGATION

- 12V hybrid controller
- Triton 2 Wind/Speed/Depth Pack + autopilot remote control
- WR10 wireless bluetooth remote control LW driver control
- Pilot Pack NAC-3 + Precision-9 + RF25N
- ForwardScan™ XDCR kit
- B&G 4G Radar 📷
- Black Box VHF AIS RX SYSTEM
- Pack Zeus2 16" + GPS antenna + map reader
- Zeus3-12: 12" multifunction display
- NAIS-500 Pack
- Triton2 digital display
- SonarHub module without probe
- Bow thruster



## SAFETY ON DECK

- 1 Open stainless steel forward pulpit
- 2 fixed stainless steel pushpits
- Stainless steel backrests fitted to helm seats
- 1 Lifebuoy support bracket
- 1 Outboard engine bracket 📷
- 1 Ensign staff
- Double guardrail and stainless steel stanchions – Opening to port and to starboard in guardrail
- 2 Stainless steel handrails on deck
- 2 Stainless steel handrails on fixed arch

## COCKPIT 📷

- Roof cover luxe (petite couture à prévoir) 📷
- Cockpit bimini luxe 📷
- Wheel bracket covers
- High-comfort exterior upholstery
- Self-draining, natural solid wood slatted cockpit floor 📷
- 1 Port cockpit locker




## DECK EQUIPMENT [BACK TO TABLE OF CONTENTS](#)

- 1 Starboard cockpit locker – Access to technical area
- Gas locker beneath starboard cockpit seat
- Natural solid wood slatted cockpit benches
- 1 Liferaft locker in cockpit sole
- 2 Steering wheel consoles: Stainless steel steering wheels – 900 mm / 2'11" diameter – leather covered – Stainless steel handrail – navigation instrument support – Glass holder – 2 Steering compass on binaccle 📷
- 2 Deck access points to tiller system
- Backrests to helm (Natte Stone)
- 1 Tiller
- Engine throttle and control panel to starboard 📷
- Wooden cockpit table with leaf to starboard which can be transformed into sun-bathing area 📷
- 1 Fixed composite arch
- 2 waterproof loudspeakers on fixed arch
- 2 Fixed windows to the aft of the coachroof
- Underfloor storage(s)
- Skippers' cabin converted into laundry room with washing machine





# AFT TRANSOM

- Retractable transom to cockpit
- 2 Height-adjustable helmsman's seats
- Natural solid wood decking on sun deck
- 1 Stainless steel bathing ladder - solid wood steps - folds into locker
- 1 Hot and cold cockpit shower
- 1 Shore power socket 
- 2 wet lockers on skirt
- Transom protector for raising the tender
- Stainless-steel rear hoop with dinghy-carrying attachments max 450kg
- Bombard AX500 gray dinghy + Honda BF10 engine





# INTERIOR FITTINGS

## COMPANIONWAY 📷

Headroom: 1,99 m / 6'6"

- Retractable glass motorized companionway door at cockpit bottom
- Wooden companionway with cold-moulded 3 steps
- 2 Leather covered stainless steel handrails 📷

## PORT SALOON 📷

Headroom: 1,98 m / 6'6"

- U shaped saloon bench
- Saloon table in 1 piece, Varnished wood top with inlay, Aluminium legs. 📷
- 1 central unit with folding bench seat – Stowage – Bar
- Shelves and stowage along the hull, Storage under bench seatss
- 1 flush deck hatch with blind / Mosquito net
- LED TV + square player 📷
- BOSE Acoustimass 3 speakers 📷





## CHART TABLE 📷

- Control console with flap - oddments locker - Storage - Moulded wood fiddle
- Navigator's seat with (15°) tilting cushion to compensate for heel
- Electrics panel 📷
- Navigation instrument panel 📷
- Radio CD player / Stereo MP3 - 2 Loud speakers 📷
- Battery switch panel + Breaker panel 📷

## GALLEY – STARBOARD 📷

Headroom: 1,97 m / 6'6"

- Lengthways kitchen 📷
- Synthetic resin worktop Grey
- 1 Sink with 2 rectangular bowls, in Grey synthetic resin
- 1 Valve – Faucet
- 1 3-burner stainless steel stove-oven-grill 📷
- 1 Fridge 200 l, ice-cube tray, front and top-opening 📷



- 12V cooler in 100 L top-opening cooler (negative cold) 📷
- Cupboards – Drawers – equipped lockers 📷
- Dishwashers 📷
- Extractor Hood
- Microwave 📷

## FORWARD CABIN

Headroom: 1,94 m / 6'4"

- Central double bed (2,03 m x 1,21 m – 1,70 m / 6'8" x 4' – 5'7") 📷
  - Slatted bed base
- Wardrobe, Cupboard, Shoe cabinet 📷
- Leather-topped dressing table with removable seat 📷
- Mirrors
- 2 Hull portholes with curtain
- 2 Opening deck hatches with blind / Mosquito nets



# FORE WASHROOM

## Separate shower, to port 📷

Headroom: 1,93 m / 6'4"

- Private access via glazed door
- Mirror - Cupboard
- Shower - Faucet
- 1 flush deck hatch with blind / Mosquito net

## Separate WC, to starboard

Headroom: 1,94 m / 6'4"

- Electric marine toilet + storeroom 📷
- Washbasin - Synthetic resin worktop - Faucet 📷
- Mirror 📷
- Toilet accessories
- Cupboard - Cubby hole locker 📷
- 1 flush deck hatch with blind / Mosquito net





## CABINS – PORT AND STARBOARD 📷 📷

Headroom: 1,97 m / 6'6"

2 Cabins each with:

- Sliding entrance door
- Double bed (2,00 m x 1,00 m - 1,56 m / 6'7" x 3'3" - 5'1") - Slatted bed base 📷
- Hanging locker - Shelving - Drawers 📷
- Mirror
- 1 Hull porthole with curtain
- 1 Opening deck hatch with blind / Mosquito net

## HEADS VERSION – PORT AND STARBOARD 📷

Headroom: 1,94 m / 6'4"

2 Each washroom containing:

- Private entrance through cabin
- Separate moulded shower, Faucet
- Electric marine toilet + storeroom 📷
- Washbasin - Synthetic resin worktop - Faucet





# ENGINE

**YANMAR 4JH4TE 55KW 75 CV D - 1070H**

# ENGINE

- Engine Yanmar Diesel 75 hp / 75 HP Sail Drive
- Engine control – Starting – Control panel in cockpit
- Engine compartment: Foam soundproofing – Ventilation: 1 air intake and 1 pressured air outlet
- 1 Alternator 12 V / 125 Ah
- 1 Rotomoulded diesel tank (415 l / 110 US Gal in the saloon) – Electronic gauge – Low level alarm – 1 Deck filler
- Filters: Sea water – Diesel – Decanter
- Fixed three blades propeller
- Engine access via companionway and machinery space (opening with gas piston)








**ELECTRICITY - PLUMBING - GAS**

# ELECTRICITY

- 220 V Circuit – 12V Circuit
- 2 service batteries (2x140 Ah) – 1 Engine battery (110 Ah)
- 1 40 Ah Battery charger – 1 220V shore power – 1 Power distributor
- Electrical panel (12 V / 220 V) (Circuit breakers – Voltmeter – Water gauge – Fuel gauge – Battery warning – Fuel warning)
- Sockets 220V
- Interior lighting: Halogen ceiling lights, Reading lights 📷
- Outside lighting: 1 Forward and aft navigation lights – 1 Engine navigation light / Spreader light forward of mast – 1 Anchor light on masthead – 1 Deck light
- Wire runs for options cables
- Fisher Panda 8000 generator 📷
- Converter 12/220V 2 kVA
- 2 USB sockets on card table for recharging mobile devices
- 2 Service batteries (2 x 140A, 12V) + additional 40 Amp battery charger
- Gel batteries
- Solar panels 3x200W 📷
- Wind turbine 📷



# PLUMBING

- 3 Rotomoulded freshwater tanks (3 x 200 l / 3 x 53 US Gal) - Saloon / Side cabins - Separate fillers - Tank selection with ¼ bypass valves
- Pressurised electric water pump - Expansion tank - Inline filter
- 2 40 L / 11 US Gal Electric water heater (Operation off engine or on 220 V electrical system)
- 1 80 L / 21 US Gal rigid black water holding tank in port head compartment
- Electrical shower drain pumps
- 2 Electric bilge pumps - 1 Manual bilge pump
- 1 Electric ice box drain pump
- Aqua-Base ESW-901 desalter (105L/H)
- Webasto hot water heating in all rooms 
- Dockside freshwater inlet
- Deck wash pump



# GAS

- Gas bottle box in the cockpit (1 or 2 bottles, according to model)
- Regulator and safety tap





# A guided tour ?





# Contact us



[www.top-marine.fr](http://www.top-marine.fr)



(+33)06 59 12 50 29



Quai des marchands 14800 Deauville





**BACK TO TOP**



[BACK TO TOP](#)





**BACK TO TOP**



**BACK TO TOP**





**BACK TO TOP**



[BACK TO TOP](#)





[BACK TO TOP](#)



**BACK TO TOP**





**BACK TO TOP**



**BACK TO TOP**





**BACK TO TOP**



[BACK TO TOP](#)



**BACK TO TOP**





**BACK TO TOP**





[BACK TO TOP](#)



Sérénité

CN

BENE



**BACK TO TOP**



**BACK TO TOP**





**BACK TO TOP**



**BACK TO TOP**





**BACK TO TOP**





[BACK TO TOP](#)



**BACK TO TOP**





[BACK TO TOP](#)





[BACK TO TOP](#)



**BACK TO TOP**



**BACK TO TOP**





**BACK TO TOP**



**BACK TO TOP**





[BACK TO TOP](#)





[BACK TO TOP](#)



[BACK TO TOP](#)



**BACK TO TOP**





**BACK TO TOP**



**BACK TO TOP**



**BACK TO TOP**





**BACK TO TOP**



**BACK TO TOP**





**BACK TO TOP**





**BACK TO TOP**



**BACK TO TOP**



**BACK TO TOP**





**BACK TO TOP**



**BACK TO TOP**





**BACK TO TOP**





**BACK TO TOP**



**BACK TO TOP**





**BACK TO TOP**





**BACK TO TOP**



**BACK TO TOP**





**BACK TO TOP**



**BACK TO TOP**



Original after  
Auslieferung  
2.10.17



[BACK TO TOP](#)

